



CROSSTEX[®]
A CANTEL MEDICAL COMPANY

ACCUTRON[™]
Nitrous Oxide/Oxygen Sedation

**COMPLETE NITROUS OXIDE/OXYGEN SEDATION SOLUTIONS
EQUIPMENT AND ACCESSORIES CATALOG**

Products

Flowmeter Systems & Components & Emergency Oxygen Equipment



- Digital Ultra® Flushmount Flowmeter & Accessories 4-5
- Digital Ultra® Flowmeter 6-7
- Digital Newport™ Flowmeter System 7
- Ultra PC® % Cabinet Mount Flowmeter & Accessories 8-9
- Newport™ Flowmeter System 9
- Ultra PC® % Flowmeter 10-11
- Ultra DC® Flowmeter 12-13
- Flowmeter Pre-Installation & Flowmeter Components 14
- Central and Portable System Components 15
- Oral Surgery Flowmeter Systems 16-17
- Oral Surgery Suction Accessories 17-18
- Emergency Oxygen Equipment 18-19

Manifold Systems & Central System Schematic

- Digi-Flo® Digital Automatic Switching Manifold Systems 20
- Guardian Monitor® Conventional Manifold Systems 21
- Central System Schematic (Gas Cylinder Room) 22-23

Nasal Masks & Scavenging Systems

- Axess™ Low Profile Masks 24
- Axess™ Scavenging Circuits 25
- ClearView™ Single-Use Nasal Masks 26
- ClearView™ CO₂ Capnography Single-Use Nasal Masks 26
- ClearView™ Scavenging Circuits 27
- ClearView™ Adaptor Easy Order Guide 27
- PIP+® Single-Use Nasal Masks 28
- Multi-Use (steam-sterilizable) Masks 28
- PIP+® Scavenging Circuits 29
- PIP+® Adaptor Easy Order Guide 29

Miscellaneous Equipment, Components & Accessories

- Rubber Goods 30
- Scavenging Circuit Components 30
- Vacuum Controllers & Universal Cabinet Slide Mounts 31
- RFS™ Remote Flow System Chairmount Kits 32-34
- Q/C Hoses & Vacuum Male Connectors 34
- Outlet Stations 35
- Digi-Flo® Manifold Accessories & Adapters 36
- Manifold Accessories & Components 36
- Oral Surgery N₂ & O₂ Manifolds & Components 37

Diagrams, Templates & Service/Warranty>Returns

- Flowmeter Diagrams & Templates 38-40
- Outlet Templates 41
- ClearView™ & PIP+® Scavenging Circuit Diagrams 42
- Service/Warranty>Returns 43

Our Promise:
 To provide you with a safe and accurate system for relaxing your patients and monitoring their inhalation therapy.

Toll-free: 800.531.2221
 Local Phone: 623.780.2020 • Fax: 623.780.0444
www.accutron-inc.com



All Accutron products are manufactured in the USA.





1 Digital Ultra® Flushmount Flowmeter

- N₂O Ratio Control with 70% Max.
- Dual Readouts for Each Gas
- Audible & Visual Low O₂ Alarms
- Oxygen Fail-safe; Oxygen Flush
- Oxygen Resuscitation Connector
- Directional Check Valve
- Emergency Air Valve
- Space-saving Low Profile Unit
- Mounting Options

Product Specifications

Dimensions (W x H x D) Flushmount Control Module:	9" x 4" x 1 1/2" 23,5 cm x 10,8 cm x 3,8 cm
Dimensions (W x H x D) Remote Main Module:	8" x 4" x 7 1/2" 18,4 cm x 8,9 cm x 19,1 cm
Mounted Dimensions (W x H x D):	9 1/2" x 4 1/4" x 1/4"
Weight Flushmount Control Module:	1.3 lbs (0.6 kg)
Weight Remote Main Module:	6.1 lbs (2.8 kg)
Mixed Gas Outlet Diameter:	7/8" Nominal (22mm)
Oxygen Inlet:	Male DISS (CGA 1240)
Nitrous Oxide Inlet:	Male DISS (CGA 1040)
Nitrous Oxide Mixed Ratio Range:	0-70%
Oxygen Flow Range:	1.0-9.9 LPM
Nitrous Oxide Flow Range:	0-6.9 LPM
Inlet Pressure (each gas):	50-55 psi
Resuscitator Connector:	Quick Connect (1/4" Imperial) at Remote Outlet
Resuscitator Connector Flow:	100 LPM Oxygen
Power Requirements:	100-240 Volt AC; 50-60 Hz

Digital Flushmount

Central Systems

2 27187

26679

Bag Tee & Remote Block

3

56855

RFS™ Remote Flow System D

4

36855

RFS™ Remote Flow System A

5

56955

Accu-Vac™

6

43003

Scavenging Circuit II (Standard)

7

43004

RFS™-D & Accu-Vac™

Order No.	Product Description	Retail List
56600	Digital Ultra® Flushmount Package G Digital Ultra® Flushmount Flowmeter, Mounting Hardware, Check Valve Risers, Bag Tee, Scavenging Circuit II (standard) (Includes 1 2 6 8)	\$5,918
56800	Digital Ultra® Flushmount Package H Digital Ultra® Flushmount Flowmeter, Mounting Hardware, Check Valve Risers, RFS™ Remote Flow System D (with O ₂ port), RFS™ Flush Panel Mount Faceplate, Scavenging Circuit II (for RFS™-D) (Includes 1 3 7 8)	\$6,199
56800-CHAIR	Digital Ultra® Flushmount Package H CHAIR Digital Ultra® Flushmount Flowmeter, Mounting Hardware, RFS™ Remote Flow System A, Oxygen Outlet, O ₂ and N ₂ O Check Valve Risers, 25' of Vacuum Hose, 25' of Mixed Gas Hose, One 6' N ₂ O Hose, Two 6' O ₂ Hoses, and Scavenging Circuit II (for RFS™-A) (Includes 1 4 7 8 9) <i>Requires separate purchase of appropriate chair brand Chairmount Kit – see pages 32-34 for Chairmount kits</i>	\$6,473
56950	Digital Ultra® Flushmount Package I Digital Ultra® Flushmount Flowmeter, Mounting Hardware, Check Valve Risers, Accu-Vac™, Accu-Vac™ Flush Panel Mount Faceplate, Scavenging Circuit II (for Accu-Vac™) (Includes 1 5 7 8)	\$6,568

**RFS™
Chairmount Kits
for 56800-CHAIR
on pages 32-34**

To order Flushmount packages without pre-install kits see page 14. Scavenging Circuit II includes a complimentary sampling of single-use nasal masks.

Digital Ultra® Flushmount Flowmeter Accessories



**O₂ & N₂O
Check Valve
Risers**



**O₂ DISS & N₂O DISS
x DISS Demand
Check Valve
Assembly**




**Oxygen
Outlet**



**Surface
Mount for
Digital Ultra®
Flushmount**

Order No.	Product Description	Retail List
23173-FRU	O₂ Check Valve Riser - DISS (for operatory); includes 28085	\$139
23174-FRU	N₂O Check Valve Riser - DISS (for operatory); includes 28086	\$139
25043	Universal Light Pole Mount Kit for RFS™ - D	\$176
27193	Bracket for Digital Ultra® Flushmount Flowmeter (use for mounting flowmeter in wall)	\$106
27793	Oxygen Outlet (for use with Digital Ultra® Flushmount, RFS™-A & RFS™ Chairmount Kits)	\$259
27328	Main Module Mounting Bracket	\$68
28085	O₂ DISS x DISS Demand Check Valve Assembly	\$68
28086	N₂O DISS x DISS Demand Check Valve Assembly	\$68
32015	Universal Cabinet Slide, Accu-Vac™ (slide mounts to left, right, or under cabinet)	\$517
32018	Universal Cabinet Slide, Digital RFS™ (slide mounts to left, right, or under cabinet)	\$517
32019	Universal Cabinet Slide, Digital Bag Tee (slide mounts to left, right, or under cabinet)	\$517
32055	Surface Mount for Digital Ultra® Flushmount	\$219
54500	Remote Control for Digital Ultra® Flowmeter	\$467
54700	O₂ Analyzer	\$501

Universal Cabinet Slides 3 Cabinet Mounting Positions



**Universal Cabinet Slide,
Accu-Vac™**



**Universal Cabinet Slide,
Digital RFS™**



**Universal Cabinet Slide,
Digital Bag Tee**



1 Digital Ultra® Flowmeter

- N₂O Ratio Control with 70% Max.
- Dual Readouts for Each Gas
- Audible & Visual Low O₂ Alarms
- Oxygen Fail-safe; Oxygen Flush
- Oxygen Resuscitation Connector
- Directional Check Valve
- Emergency Air Valve

Product Specifications

Dimensions (W x H x D):	7 1/2" x 7" x 8 3/4" 19,1 cm x 17,8 cm x 22,2 cm
Weight:	6.3 lbs
Mixed Gas Outlet Diameter:	7/8" Nominal (22mm)
Oxygen Inlet:	Male DISS (CGA 1240)
Nitrous Oxide Inlet:	Male DISS (CGA 1040)
Nitrous Oxide Mixed Ratio Range:	0-70%
Oxygen Flow Range:	1.0-9.9 LPM
Nitrous Oxide Flow Range:	0-6.9 LPM
Inlet Pressure (each gas):	50-55 psi
Resuscitator Connector:	Quick Connect (1/4" Imperial)
Resuscitator Connector Flow:	100 LPM Oxygen
Power Requirements:	100-240 Volt AC; 50-60 Hz

Digital Control

Flowmeter Only

Order No.	Product Description	Retail List
51975	Digital Ultra® Flowmeter (Includes 1)	\$3,752

Portable Systems

Order No.	Product Description	Retail List
56100	Digital Ultra® Flowmeter Package B Digital Ultra® Flowmeter 4-Cylinder Portable System Scavenging Circuit II (Includes 1 2 3)	\$7,199

Scavenging Circuit II includes a complimentary sampling of single-use nasal masks.



Height with Flowmeter:
36 3/8"
W x D (with cylinders):
22" x 22"

4-Cylinder Portable System



43003

Scavenging Circuit II (Standard)

Central Systems

Order No.	Product Description	Retail List
56200	Digital Ultra® Flowmeter Package C Digital Ultra® Flowmeter Mobile Stand & Scavenging Circuit II (Includes 1 3 4)	\$4,750
56200-ADJS	Digital Ultra® Flowmeter Package C ADJS Digital Ultra® Flowmeter Adjustable Mobile Stand – Short Scavenger Circuit II (Includes 1 3 5)	\$ 4,750
56300	Digital Ultra® Flowmeter Package D Digital Ultra® Flowmeter 9-inch Wall Arm & Mounting Adapter 24552 Scavenging Circuit II (Includes 1 3 6)	\$4,750
56400	Digital Ultra® Flowmeter Package E Digital Ultra® Flowmeter 16-inch Bi-fold Wall Arm & Mounting Adapter 24552 Scavenging Circuit II (Includes 1 3 7)	\$4,750
56500	Digital Ultra® Flowmeter Package F Digital Ultra® Flowmeter Telescoping Wall Arm & Mounting Adapter 24552 Scavenging Circuit II (Includes 1 3 8)	\$4,750

Order quick connect hoses for Packages C - F separately (page 34)

See page 34 for a complete listing of Quick Connect Hoses and Vacuum Male Connectors.



Mobile Stand

Height with Flowmeter:
35 3/4"
W x D:
22" x 22"



Adjustable Mobile Stand

Height with Flowmeter:
26 3/4" – 37 3/4"
W x D:
21 1/2" x 21 1/2"



9" Wall Arm

32002



16" Bi-fold Wall Arm

32001



Telescoping Wall Arm
(Extends 12"-17")

32003

Digital Portable

Digital Newport™ Flowmeter System

The **Digital Newport™ Flowmeter System** has all of the operating features of the Digital Ultra® Flowmeter, plus its enclosed 4-cylinder design makes it a user-friendly portable that can easily be moved from operator to operator. The unit's height allows it to be stored under counter space that is open below; if not stored its flat surface can function as additional counter space.

Order No.	Product Description	Retail List
51000	Newport™ Digital Flowmeter System 4-Cylinder Enclosed Portable Scavenging Circuit II (Includes 1 2)	\$8,753



Scavenging Circuit II (Standard)

Accu-Vac™ and RFS™ Remote Flow System not available with Newport™ Digital Flowmeter System

1 Digital Newport™ Flowmeter System





1 Ultra PC® % Cabinet Mount Flowmeter

- Single-knob Total Flow Control
- N₂O Ratio Control with 70% Max.
- Oxygen Fail-safe; Oxygen Flush
- Oxygen Resuscitation Connector
- Emergency Air Valve
- Directional Check Valve
- Space-saving Low Profile Unit
- Continuous O₂ & N₂O Flow Tubes
- Neutral Color

Product Specifications

Dimensions (W x H x D):	9 3/4" x 4 3/4" x 3 1/2" 24,8 cm x 12,1 cm x 8,9 cm
Mounted Dimensions (W x H x D):	9 3/4" x 4 3/4" x 1 1/4" 24,8 cm x 12,1 cm x 3,2 cm (to end of knobs) 9 3/4" x 4 3/4" x 1/4" 24,8 cm x 12,1 cm x 0,6 cm (front plate only)
Weight:	6 lb (2.7 kg)
Mixed Gas Outlet Diameter:	7/8" nominal (22 mm)
Oxygen Inlet:	Male DISS (CGA 1240)
Nitrous Oxide Inlet:	Male DISS (CGA 1040)
Nitrous Oxide Mix Ratio Range:	0-70%
Oxygen Flow Range:	1-10 LPM
Nitrous Oxide Flow Range:	0-7 LPM
Inlet Pressure (each gas):	50-55 PSI
Resuscitator Connector:	Quick Connect (1/4" Imperial)
Resuscitator Connector Flow:	100 LPM Oxygen



Percent Cabinet Mount

Central Systems



26679
Bag Tee



36855
RFS™ Remote Flow System A



43003
Scavenging Circuit II (Standard)



43004
Scavenging Circuit II (RFS™-A)

Order No.	Product Description	Retail List
36600	Ultra PC® % Cabinet Mount Flowmeter Package G Ultra PC® % Cabinet Mount Flowmeter Mounting Hardware, Check Valve Risers, Bag Tee, Scavenging Circuit II (standard) (Includes 1 2 4 6)	\$4,999
36800	Ultra PC® % Cabinet Mount Flowmeter Package H Ultra PC® % Cabinet Mount Flowmeter Mounting Hardware, Check Valve Risers, RFS™ Remote Flow System A, Scavenging Circuit II (for RFS™-A) (Includes 1 3 5 6)	\$5,399
36800-CHAIR	Ultra PC® % Cabinet Mount Flowmeter Pkg. H CHAIR Ultra PC® % Cabinet Mount Flowmeter, Mounting Hardware, RFS™ Remote Flow System A, O ₂ and N ₂ O Check Valve Risers, 25' of Vacuum Hose, 25' of Mixed Gas Hose, One 6' N ₂ O Hose, One 6' O ₂ Hose, and Scavenging Circuit II (for RFS™-A) (Includes 1 3 5 6) <i>Requires separate purchase of appropriate chair brand RFS™ Chairmount Kit – see pages 32-34 for Chairmount kits</i>	\$5,672

To order above Ultra PC® % Cabinet Mount packages without pre-install kits see page 14. Scavenging Circuit II includes a complimentary sampling of single-use nasal masks.

Ultra PC® % Cabinet Mount Accessories




O₂ & N₂O
Check Valve Risers



O₂ DISS & N₂O DISS x DISS Demand
Check Valve Assembly

Order No.	Product Description	Retail List
23173-FRU	O₂ Check Valve Riser - DISS includes 28085	\$139
23174-FRU	N₂O Check Valve Riser - DISS includes 28086	\$139
28085	O₂ DISS x DISS Demand Check Valve Assembly	\$68
28086	N₂O DISS x DISS Demand Check Valve Assembly	\$68
25043	Universal Light Pole Mount Kit for RFS™-A	\$176
32008	Universal Cabinet Slide, Analog Bag Tee (slide mounts to left, right, or under cabinet)	\$517
32014	Universal Cabinet Slide, Analog RFS™ (slide mounts to left, right, or under cabinet)	\$517

Universal Cabinet Slides
3 Cabinet Mounting Positions



Universal Cabinet
Slide, Analog Bag Tee



Universal Cabinet
Slide, Analog RFS™

Percent Portable

Newport™ Flowmeter System

The **Newport™ Flowmeter System** has all of the operating features of the Ultra PC® % flowmeter, plus its enclosed 4-cylinder design makes it a user-friendly portable that can easily be moved from operator to operator. The unit's height allows it to be stored under counter space that is open below; if not stored its flat surface can function as additional counter space.

1 Newport™ Flowmeter System



Order No.	Product Description	Retail List
50000	Newport™ Flowmeter System 4-Cylinder Enclosed Portable Scavenging Circuit II (Includes 1 2)	\$7,876



Scavenging Circuit II (Standard)



- 1 Ultra PC® % Flowmeter**
- Single-knob Total Flow Control
 - N₂O Ratio Control with 70% Max.
 - Oxygen Fail-safe; Oxygen Flush
 - Oxygen Resuscitation Connector
 - Emergency Air Valve
 - Directional Check Valve
 - DISS Inlet Fittings
 - Neutral Color

Product Specifications

Dimensions (W x H x D):	4 1/4" x 10 1/2" x 8" 11 cm x 27 cm x 20 cm
Weight:	4.5 lb (2.0 kg)
Mixed Gas Outlet Diameter:	7/8" nominal (22 mm)
Oxygen Inlet:	Male DISS (CGA-1240)
Nitrous Oxide Inlet:	Male DISS (CGA-1040)
Nitrous Oxide Mix Ratio Range:	0-70%
Oxygen Flow Range:	1-10 LPM
Nitrous Oxide Flow Range:	0-7 LPM
Inlet Pressure (each gas):	50-55 psi
Resuscitator Connector:	Quick Connect (1/4" Imperial)
Resuscitator Connector Flow:	100 LPM Oxygen

**Single-Knob
Total Flow Control**



Height with Flowmeter:
39 3/8"
W x D (with cylinders):
22" x 22"

2-Cylinder Portable System



Height with Flowmeter:
min: 31 3/8"
max: 41 3/8"
W x D (with cylinders):
22" x 22"

4-Cylinder Portable System



Scavenging Circuit II

Flowmeter Only

Order No.	Product Description	Retail List
31975	Ultra PC® % Flowmeter (Includes 1)	\$2,875

Portable Systems

Order No.	Product Description	Retail List
36000	Ultra PC® % Flowmeter Package A Ultra PC® % Flowmeter 2-Cylinder Portable System Scavenging Circuit II (Includes 1 2 4)	\$5,691
36100	Ultra PC® % Flowmeter Package B Ultra PC® % Flowmeter 4-Cylinder Portable System Scavenging Circuit II (Includes 1 3 4)	\$6,270

See Newport™ Flowmeter System on page 9.

Scavenging Circuit II includes a complimentary sampling of single-use nasal masks.

Central Systems



5

32005

Height with Flowmeter:
39 1/4"
W x D:
22" x 22"

Mobile Stand



6

42005

Height with Flowmeter:
26 3/4" - 40 3/4"
W x D:
21 1/2" x 21 1/2"

Adjustable Mobile Stand



7

32002

9" Wall Arm



8

32001

16" Bi-fold Wall Arm



9

32003

Telescoping Wall Arm
(Extends 12"-17")



10

32004

Universal Cabinet Slide, PC®/DC®

Order No.	Product Description	Retail List
36200	Ultra PC® % Flowmeter Package C Ultra PC® % Flowmeter Mobile Stand Scavenging Circuit II (Includes 1 4 5)	\$3,978
36200-ADJS	Ultra PC® % Flowmeter Package C ADJS Ultra PC® % Flowmeter Adjustable Mobile Stand – Short Scavenger Circuit II (Includes 1 3 6)	\$3,978
36300	Ultra PC® % Flowmeter Package D Ultra PC® % Flowmeter 9-inch Wall Arm & Mounting Adapter 24552 Scavenging Circuit II (Includes 1 4 7)	\$3,978
36400	Ultra PC® % Flowmeter Package E Ultra PC® % Flowmeter 16-inch Bi-fold Wall Arm & Mounting Adapter 24552 Scavenging Circuit II (Includes 1 4 8)	\$3,978
36500	Ultra PC® % Flowmeter Package F Ultra PC® % Flowmeter Telescoping Wall Arm & Mounting Adapter 24552 Scavenging Circuit II (Includes 1 4 9)	\$3,978
36500-US	Ultra PC® % Flowmeter Package U Ultra PC® % Flowmeter Universal Cabinet Slide, PC/DC (slide mounts to left, right, or under cabinet), and Mounting Adapter 24552 Scavenging Circuit II (Includes 1 4 10)	\$3,978

Order quick connect hoses for Packages C - F separately (page 34)

Additional mounts on pages 14 & 15.

See pages 34 for a complete listing of Quick Connect Hoses and Vacuum Male Connectors.

Universal Cabinet Slides, PC®/DC® 3 Cabinet Mounting Positions





1 Ultra DC® Flowmeter

- O₂ Control with On/Off Switch
- Independent O₂ & N₂O Controls
- Oxygen Fail-Safe; Oxygen Flush
- Oxygen Resuscitation Connector
- Emergency Air Valve
- Directional Check Valve
- DISS Inlet Fittings
- Neutral Color

Product Specifications

Dimensions (W x H x D):	4 1/4" x 10 1/2" x 8" 11 cm x 27 cm x 20 cm
Weight:	4.5 lb (2.0 kg)
Mixed Gas Outlet Diameter:	7/8" nominal (22 mm)
Oxygen Inlet:	Male DISS (CGA-1240)
Nitrous Oxide Inlet:	Male DISS (CGA-1040)
Oxygen Flow Range:	3-10 LPM
Nitrous Oxide Flow Range:	0-7 LPM
Inlet Pressure (each gas):	50-55 psi
Resuscitator Connector:	Quick Connect (1/4" Imperial)
Resuscitator Connector Flow:	100 LPM Oxygen

Independent O₂ & N₂O Flow Control



2

Height with Flowmeter:
39 3/8"
W x D
(with cylinders):
22" x 22"

2-Cylinder Portable System



3

Height with Flowmeter:
min: 31 3/8"
max: 41 3/8"
W x D
(with cylinders):
22" x 22"

4-Cylinder Portable System



4

43003

Scavenging Circuit II

Flowmeter Only

Order No.	Product Description	Retail List
31980	Ultra DC® Flowmeter (Includes 1)	\$2,040

Portable Systems

Order No.	Product Description	Retail List
46000	Ultra DC® Flowmeter Package A Ultra DC® Flowmeter 2-Cylinder Portable System Scavenging Circuit II (Includes 1 2 4)	\$4,752
46100	Ultra DC® Flowmeter Package B Ultra DC® Flowmeter 4-Cylinder Portable System Scavenging Circuit II (Includes 1 3 4)	\$5,376

Scavenging Circuit II includes a complimentary sampling of single-use nasal masks.

Central Systems



5

32005

Height with Flowmeter:
39 1/4"
W x D:
22" x 22"

Mobile Stand



6

42005

Height with Flowmeter:
29 3/4" - 40 3/4"
W x D:
21 1/2" x 21 1/2"

Adjustable Mobile Stand



7

32002

9" Wall Arm



8

32001

16" Bi-fold Wall Arm



9

32003

Telescoping Wall Arm
(Extends 12"-17")



10

32004


Universal Cabinet Slide, PC®/DC®

Order No.	Product Description	Retail List
46200	Ultra DC® Flowmeter Package C Ultra DC® Flowmeter Mobile Stand Scavenging Circuit II (Includes 1 4 5)	\$3,127
46200-ADJS	Ultra DC® Flowmeter Package C ADJS Ultra DC® Flowmeter Adjustable Mobile Stand – Short Scavenger Circuit II (Includes 1 4 6)	\$ 3,127
46300	Ultra DC® Flowmeter Package D Ultra DC® Flowmeter 9-inch Wall Arm & Mounting Adapter 24552 Scavenging Circuit II (Includes 1 4 7)	\$3,127
46400	Ultra DC® Flowmeter Package E Ultra DC® Flowmeter 16-inch Bi-fold Wall Arm & Mounting Adapter 24552 Scavenging Circuit II (Includes 1 4 8)	\$3,127
46500	Ultra DC® Flowmeter Package F Ultra DC® Flowmeter Telescoping Wall Arm & Mounting Adapter 24552 Scavenging Circuit II (Includes 1 4 9)	\$3,127
46500-US	Ultra DC® Flowmeter Package U Ultra DC® Flowmeter Universal Cabinet Slide, PC/DC (slide mounts to left, right, or under cabinet), and Mounting Adapter 24552 Scavenging Circuit II (Includes 1 4 10)	\$3,127

Order quick connect hoses for Packages C - U separately (page 34)

Additional mounts on pages 14 & 15.
See page 34 for a complete listing of Quick Connect Hoses and Vacuum Male Connectors.

Universal Cabinet Slides, PC®/DC® 3 Cabinet Mounting Positions





Ultra PC® % Cabinet Mount Flowmeter



Digital Ultra® Flushmount Flowmeter



23173-FRU

23174-FRU



28085

28086



54500



54600



24552



32001



32002



32003



32004

Flowmeters without Pre-installation Kits

Order No.	Product Description	Retail List
	Cabinet Mount Flowmeters (without pre-installation kits):	
36600-NS	Ultra PC® % Cabinet Mount Flowmeter Pkg. G (includes mounting hardware)	\$4,766
36800-NS	Ultra PC® % Cabinet Mount Flowmeter Pkg. H (includes RFS™ Remote Flow System & mounting hardware)	\$5,173
	Digital Flushmount Flowmeters (without pre-installation kits):	
56600-NS	Digital Ultra® Flushmount Flowmeter Pkg. G (includes mounting hardware)	\$5,637
56800-NS	Digital Ultra® Flushmount Flowmeter Pkg. H (includes mounting hardware, Remote Flow System & RFS™ Flush Mount Faceplate)	\$5,972
56950-NS	Digital Ultra® Flushmount Flowmeter Pkg. I (includes mounting hardware, Accu-Vac™ & Accu-Vac™ Flush Mount Faceplate)	\$6,287

Flowmeter Pre-installation Kit Components

Order No.	Product Description	Retail List
	Pre-Installation Components:	
23173-FRU	O ₂ Check Valve Riser - DISS (for operator); includes 28085	\$139
23174-FRU	N ₂ O Check Valve Riser - DISS (for operator); includes 28086	\$139
28085	O ₂ DISS x DISS Demand Check Valve Assembly	\$68
28086	N ₂ O DISS x DISS Demand Check Valve Assembly	\$68

Central System Operator Components & Accessories

Order No.	Product Description	Retail List
	Digital Ultra® Flowmeter Accessories:	
54500	Remote Control for Digital Ultra® Flowmeter	\$467
54600	Printer for Digital Ultra® Flowmeter	\$625
54650	Printer Paper for Digital Ultra® Flowmeter (10 rolls)	\$59
54700	O ₂ Analyzer	\$501
	Flowmeter Mounts:	
24552	Mounting Adapter for Flowmeters (replacement)	\$71
32001	16" Bi-fold Wall Arm & Mounting Adapter 24552	\$439
32002	9" Wall Arm & Mounting Adapter 24552	\$410
32003	Telescoping Wall Arm (extends 12" - 17") & Mounting Adapter 24552	\$433
32004	Universal Cabinet Slide, PC/DC (slide mounts to left, right, or under cabinet), includes Mounting Adapter 24552	\$517

Central System Operatory Components & Accessories (continued)



Order No.	Product Description	Retail List
	Flowmeter Mounts (continued):	
32005	Mobile Stand (21 1/2" - 31 1/2")	\$439
32010	Portable and Mobile Stand Adaptor – Ultra to Porter	\$65
32011	Wall Arm Adaptor – Ultra to Matrix Wall Arms	\$65
32021	Wall Bracket with Flowmeter Mounting Post	\$225
32055	Surface Mount for Digital Ultra Flushmount (flowmeter not included)	\$219
42005	Adjustable Mobile Stand – Short (21 1/2" x 19 1/2" - 30 1/2")	\$439

Portable System Manifolds & Components

Order No.	Product Description	Retail List
20107	E Cylinder Wrench	\$21
24494	Replacement E Washers (pkg. of 10)	\$23
24549	E Yoke Handle	\$38
32010	Portable and Mobile Stand Adaptor – Accutron™ Ultra to Porter	\$65
42000	2-Cylinder Non-Digital Portable Manifold	\$2,337
44000	4-Cylinder Non-Digital Portable Manifold	\$3,064



2-Cylinder
42000



4-Cylinder
44000



Digital Ultra® Flowmeter



Digital Ultra® Flushmount Flowmeter



Adult full facemask, Hanks elbow with pop-off, directional Y valve & corrugated tube



Scavenging Circuit II

Digital Ultra® Oral Surgery Flowmeter

Order No.	Product Description		Retail List
56100-OS	Portable Packages 4-Cylinder Portable (includes portable manifold)	1 3 4	\$8,666
56200-OS	Central Packages Mobile Stand	1 3 4	\$5,914
56200-OS-ADJT	Adjustable Mobile Stand – Tall	3 4 5	\$5,914
56300-OS	9" Wall Arm	1 3 4	\$5,914
56400-OS	16" Bi-fold Wall Arm	1 3 4	\$5,914
56500-OS	Telescoping Wall Arm	1 3 4	\$5,914
56600-OS	Flushmount	2 3 4	\$7,081



Ultra PC® % Flowmeter



Ultra PC® % Cabinet Mount Flowmeter

Ultra PC® % Oral Surgery Flowmeter

Order No.	Product Description		Retail List
36000-OS	Portable Packages 2-Cylinder Portable (includes portable manifold)	3 4 5	\$6,854
36100-OS	4-Cylinder Portable (includes portable manifold)	3 4 5	\$7,541
36200-OS	Central Packages Mobile Stand	3 4 5	\$5,142
36200-OS-ADJT	Adjustable Mobile Stand – Tall	3 4 5	\$5,142
36300-OS	9" Wall Arm	3 4 5	\$5,142
36400-OS	16" Bi-fold Wall Arm	3 4 5	\$5,142
36500-OS	Telescoping Wall Arm	3 4 5	\$5,142
36600-OS	Cabinet Mount	3 4 6	\$6,210



319800S

Ultra DC® Flowmeter

Ultra DC® Oral Surgery Flowmeter

Order No.	Product Description	Retail List
Portable Packages		
46000-OS	2-Cylinder Portable (includes portable manifold) 3 4 7	\$5,915
46100-OS	4-Cylinder Portable (includes portable manifold) 3 4 7	\$6,539
Central Packages		
46200-OS	Mobile Stand 3 4 7	\$4,289
46200-OS-ADJT	Adjustable Mobile Stand – Tall 3 4 7	\$4,289
46300-OS	9" Wall Arm 3 4 7	\$4,289
46400-OS	16' Bi-fold Wall Arm 3 4 7	\$4,289
46500-OS	Telescoping Wall Arm 3 4 7	\$4,289



47050



47000



33029-10



47075



38008



33014

Rubber Goods are
Not made with natural
rubber latex



38009



33030-10



43035-9



43035-14



43037-9



43037-12

Oral Surgery Accessories

Order No.	Product Description	Retail List
47000	Oral Surgery Accessories Package	\$1,163
23854	Universal Female Adapter (22 mm male x 15 mm female)	\$22
47050	Directional Y Valve	\$715
47075	Hanks Elbow with Pop-off	\$322
33014	Corrugated Tube – 3-foot Grey	\$50
22137	Corrugated Tube – 6-Foot Grey	\$75
33029-10	Pediatric Cannula with 7' Tubing (pkg. of 10)	\$80
33030-10	Adult Cannula with 7' Tubing (pkg. of 10)	\$80
38008	Full Facemask – Adult	\$86
38009	Full Facemask – Child	\$86
42006	Adjustable Mobile Stand - Tall (21 1/2" x 28 1/4" - 40")	\$489
43034-9	CO ₂ Capnography Single-Use Nasal Masks - Large Adult Unscented Grey (pkg. of 12)	\$100
43034-16	CO ₂ Capnography Single-Use Nasal Masks - Large Adult Fresh Mint	\$100
43035-9	CO ₂ Capnography Single-Use Nasal Masks - Adult Unscented (pkg. of 12)	\$100
43035-14	CO ₂ Capnography Single-Use Nasal Masks - Adult Vanilla (pkg. of 12)	\$100
43037-9	CO ₂ Capnography Single-Use Nasal Masks - Pediatric Unscented (pkg. of 12)	\$100
43037-12	CO ₂ Capnography Single-Use Nasal Masks - Pediatric Bubblegum (pkg. of 12)	\$100
31002-3	Midmark 641 Surgery RFS™ Chairmount Kit (See additional RFS™ Chairmount Kits on page 32-34)	\$331

See Oral Surgery Nitrogen and Oxygen Manifold Systems and Manifold Components on pages 36 & 37.



Oral Surgery Suction Accessories

Order No.	Product Description	Retail List
34014	Surgical E-Vac Kit Includes: Five 1500 ml single-use canisters, wall mount plate and mounting hardware (requires vacuum outlet 34011)	\$1,227
34016	Replacement Canisters for Surgical E-Vac Kit Includes: Five 1500 ml single-use canisters	\$88
26986	6' Tubing – 3/8" ID, Clear PVC	\$44
26987	Canister Holder	\$56
26988	Vacuum Regulator	\$551
26989	Vacuum Slide	\$78
34011	Recessed Q/C Vacuum Outlet	\$271



Emergency Oxygen Equipment

Order No.	Product Description	Retail List
38013	Deluxe Portable Oxygen System Includes: Demand Valve with O ₂ Q/C Fitting, Adult Facemask, Adjustable Liter Flow Regulator, In-line O ₂ Adapter, Cylinder Wrench, & Cart (gas cylinder not included)	\$1,599
38010	Portable Oxygen System Includes: Demand Valve with O ₂ Q/C Fitting, Adult Facemask, Cylinder Wrench, & Cart (gas cylinder not included)	\$1,300
38006	Portable Oxygen System Includes: Bag, Valve, Mask (Manual Resuscitator), Oxygen Tube, Cylinder Wrench, & Cart (gas cylinder not included)	\$843
38011	Demand Valve Resuscitator Includes: Demand Valve, 6' O ₂ Hose, O ₂ Male Q/C Fitting	\$769
38007	Manual Resuscitator with Bag, Valve, Mask & Oxygen Tube	\$313
38008	Full Facemask – Adult Replacement part for Demand Valve, Manual Resuscitator & Oral Surgery System	\$86
38009	Full Facemask – Child Replacement part for Demand Valve, Manual Resuscitator & Oral Surgery System	\$86
20526	E Cylinder Mobile Cart	\$234
35018	Deluxe E Yoke Regulator with Adjustable Liter Flow O ₂ Fitting, DISS Fitting, Cylinder Content Gauge	\$585
35013	E Yoke Regulator with DISS Fitting and Cylinder Content Gauge	\$469
23551	E Yoke Regulator with Flow Control Knob	\$469

Emergency Oxygen Equipment (continued)

Order No.	Product Description	Retail List
24199	Oxygen Quick Connect x Oxygen DISS	\$TBD
24589	Oxygen DISS with O ₂ Barb Fitting (green nut & nipple)	\$7
35014-U	Oxygen Liter-Flow (for use with oxygen outlets that do not have a hex nut)	\$152
35014-HL	Oxygen Liter-Flow Meter (for use with oxygen outlets that have a hex nut, including stand-alone outlet 27793)	\$152
35015	Oxygen Liter-flow Selector Valve with Bracket (0-15 lpm) with O ₂ Barb & O ₂ Q/C Fitting (p/n 27775)	\$629
35016	Oxygen Liter-flow Selector Valve without Bracket (0-15 lpm) with O ₂ Barb & O ₂ Q/C Fitting (p/n 27958)	\$629
35017	Oxygen Liter-flow Selector Valve with Ell (0-15 lpm) with O ₂ Barb, set-up for RFS™-D	\$629
26849	Oxygen Fitting – DISS with Female Q/C	\$92
27253	Oxygen Fitting – DISS with Male Q/C with Bracket	\$92
27254	Oxygen Fitting – DISS with Male Q/C without Bracket	\$92
27775	Oxygen Fitting – 1/8" Male Pipe Thread with Male Q/C with Bracket	\$92
27958	Oxygen Fitting – 1/8" Male Pipe Thread with Male Q/C without Bracket	\$92
27793	Oxygen Outlet – DISS with Female Q/C	\$259
33029-10	Pediatric Nasal Cannula with 7' Tubing (curved tips; *Non-Latex; 10 per pkg.)	\$80
33030-10	Adult Nasal Cannula with 7' Tubing (curved tips; *Non-Latex; 10 per pkg.)	\$80

*Not made with natural rubber latex

Oxygen Male Q/C (MQC) Chart

Connectors / Outlets	O ₂ Outlet	Micro O ₂	Micro Double	Micro Triple	RFS™-A	RFS™-D	Accu-Vac™	Ultra PC® CM	Ultra PC®/DC®	Newport™
O ₂ DISS x MQC w/ Bracket p/n 27253		x			x	x	x	x	x	
1/8" MPT x MQC w/ Bracket p/n 27775		x			x	x*	x	x	x	
O ₂ DISS x MQC w/o Bracket p/n 27254	x	x	x	x	x	x	x	x	x	x
1/8" MPT x MQC w/o Bracket p/n 27958	x	x	x	x	x	x	x	x	x	x

* Note: 35017 O₂ Selector Valve can be attached to system if bag tee is removed, or adding a 90° "ell" and nipple will angle Selector Valve up and out of the way of the bag tee.



Digital Automatic Manifold/Alarm System

Pre-install mounting bracket allows effortless installation!



- Automatic cylinder changeover
- Alarm with audio and visual warnings
- Single or multiple zone valve and/or alarm panel capacity
- Clear and precise LED numeric line pressure readings
- Easily accessible components; field upgradeable software
- Optional conduit adapter box available if local codes require wiring inside conduit

Product Specifications

Dimensions with Cover:	18" x 9" x 3" 46 cm x 23 cm x 8 cm
Working Pressure:	50-55 psi
Hose Length:	4 ft.
N ₂ O Outlet:	N ₂ O DISS
O ₂ Outlet:	O ₂ DISS
Primary Voltage:	120 volts
Cable:	Category 6, Shielded, Ethernet 4 twisted pr., RJ-45 end connectors

Digi-Flo® Manifolds and Valves with Pre-Install Kits



Zone Valve required when in remote location.

Manifold Package Contents:

Manifold with pressure gauges & high/low pressure alarm switches, system indicator panel, 4 cylinder regulators (2 O₂ & 2 N₂O), four 4 ft. DISS hoses (2 O₂ & 2 N₂O), wall or desk office control panel, cylinder restraints and optional security system.

Order No.	Product Description	Retail List
49150	Digi-Flo® Automatic Switching Manifold/Alarm Pkg. A - Desk Alarm Panel (includes pre-install kit)	\$6,075
49250	Digi-Flo® Automatic Switching Manifold/Alarm Pkg. B - Wall Alarm Panel (includes pre-install kit)	\$6,075
49350	Digi-Flo® Automatic Switching Manifold/Alarm Pkg. C - Desk Alarm Panel & Security System (includes pre-install kit)	\$6,781
49450	Digi-Flo® Automatic Switching Manifold/Alarm Pkg. D - Wall Alarm Panel & Security System (includes pre-install kit)	\$6,781
49550	Digi-Flo® Zone Valve	\$1,489
27985-FRU	Digi-Flo® Optional Conduit Kit	\$276
27954-FRU	Matrx Manifold Adapter Kit	\$110

See page 36 for other manifold components.

Digi-Flo® Manifolds and Alarms without Pre-Install Kits

Order No.	Product Description	Retail List
49150-NP	Manifold with Desk Alarm Panel Pkg. A	\$5,855
49250-NP	Manifold with Wall Alarm Panel Pkg. B	\$5,855
49350-NP	Manifold with Desk Alarm Panel & Security System Pkg. C	\$6,560
49450-NP	Manifold with Wall Alarm Panel & Security System Pkg. D	\$6,560

Digi-Flo® Manifold Pre-Install Kits

Order No.	Product Description	Retail List
49051	Pre-installation Kit for Digi-Flo® Automatic Manifold Pkgs. A & C Contents: Manifold template, manifold mounting plate assembly with brass risers, 100 ft. cable, wall outlet box for desk alarm panel connection	\$221
49052	Pre-installation Kit for Digi-Flo® Automatic Manifold Pkgs. B & D Contents: Manifold template, manifold Mounting plate assembly with brass risers, 100 ft. cable, outlet box and mounting bracket for wall alarm panel	\$221
49053	Pre-Install Kit for Digi-Flo® 2nd Wall Alarm	\$110
49054	Digi-Flo® 2nd Wall Alarm (includes splinter for 2nd alarm)	\$772
49054-S	Digi-Flo® 2nd Wall Alarm with Security System (includes splinter for 2nd alarm)	\$827



Guardian Monitor® Conventional Manifold/ Alarm System

- Pressure relief valve
- Alarm with audio and visual warnings
- Accommodates G & H cylinders
- Zone valve pkg. available



39550
Zone Valve

Product Specifications

Dimensions with Cover:	15" x 8 1/2" x 3 1/2" 38 cm x 22 cm x 9 cm
Working Pressure:	50-55 psi
Hose Length:	3 ft.
N ₂ O Outlet:	N ₂ O DISS
O ₂ Outlet:	O ₂ DISS
Primary Voltage:	120 volts
Cable:	Category 5, Ethernet 4 twisted pr., RJ-45 end connectors

Guardian Monitor® Manifold and Alarms with Pre-Install Kits

Order No.	Product Description	Retail List
38002	Manifold with Wall Alarm System A – 2 O₂ + 2 N₂O (includes pre-install kit)	\$4,377
38003	Manifold with Desk Alarm System B – 2 O₂ + 2 N₂O (includes pre-install kit)	\$4,377
38004	Manifold with Wall Alarm System C – 2 O₂ + 1 N₂O (includes pre-install kit)	\$3,939
38005	Manifold with Desk Alarm System D – 2 O₂ + 1 N₂O (includes pre-install kit)	\$3,939
39550	Zone Valve (for Guardian Monitor® Conventional)	\$1,391

Note: Zone valve required when manifold is in a remote location.
See page 36 for other manifold components.

Manifold Package Contents:

Manifold with pressure gauges & high/low pressure alarm switches, 3 or 4 cylinder regulators (2 O₂ & 1 or 2 N₂O), three or four 4 ft. DISS hoses (2 O₂ & 1 or 2 N₂O), power supply, wall or desk office control panel and cylinder restraints.

Guardian Monitor® Manifold and Alarms without Pre-Install Kits

Order No.	Product Description	Retail List
38002-NP	Conventional Manifold/Wall Alarm System A (2+2)	\$4,245
38003-NP	Conventional Manifold/Desk Alarm System B (2+2)	\$4,245
38004-NP	Conventional Manifold/Wall Alarm System C (2+1)	\$3,805
38005-NP	Conventional Manifold/Desk Alarm System D (2+1)	\$3,805
39550	Zone Valve (for Guardian Monitor® Conventional)	\$1,391

Guardian Monitor® Manifold and Alarms Pre-Install Kits

Order No.	Product Description	Retail List
38051	Pre-Installation Kit for Guardian Monitor® Conventional Manifold System B & D Contents: Manifold template, copper pipe risers, 100 ft. cable, outlet box for desk control panel	\$132
38052	Pre-Installation Kit for Guardian Monitor® Conventional Manifold System A & C Contents: Manifold template, copper pipe risers, 100 ft. cable, outlet box for wall control panel	\$132




38051




38052

Mains and branches in piping systems shall be not less than 1/2" nominal size.



Dental Office Area
Cylinder Storage Area
(Central System Manifold Room)



Level III Medical Gas systems must be installed by a qualified medical gas installer and in compliance with NFPA 99 requirements.

Cylinder Storage Room Requirements:

No more than 3000 cubic feet of gas connected and in storage at one time (excluding nitrogen). Cylinders should be stored in a locked room or cabinet.

- A separate regulator for each gas cylinder
- A pressure relief valve set at 75 psi
- A check valve down stream of each regulator
- System line pressure set at 50 psi
- When the supply system is remote, the switchover shall be automatic

Flexible tubing must not go through wall(s) or partition(s) and have a minimum burst pressure of 1000 psi. When nonflammable gas supply (N₂O-O₂) cylinders are located inside building, they should be in a separate room or enclosure, and separated from the rest of the building by not less than one-hour fire-resistant construction. Two vents of not less than 72 square inches in area should be included. One vent within 6 inches of the floor and one vent within 6 inches of the ceiling. Exception: When an exterior wall cannot be provided see code for requirements. Openings between room or enclosure and interior shall be self-closing smoke and draft control, having a fire protection rating of not less than one hour.

All information provided is intended to assist in the installation of the medical gas system. It is not intended to be complete or eliminate the need to reference NFPA 99 regulations.

General Piping Requirements:

Tubes, valves, fittings, outlet stations and other piping components in medical gas systems shall have been cleaned for oxygen service prior to installation. Piping shall be hard-drawn seamless medical gas tube, type K or L (ASTM B819), and bear one of the following markings: OXY, MED, OXY/MED. ACR/OXY or ACR/MED. Piping for non-flammable medical gas systems shall be suitable for oxygen service. Each length of tube shall be permanently labeled and delivered plugged and capped. Fittings, valves and other devices shall be sealed and marked. The installer shall furnish documentation certifying that all installed piping materials comply with the requirements and that the plumber has the appropriate medical gas license.

Testing Requirements:

Piping Integrity and System Verification Final Testing include:

- Initial Pressure Test
- Blow Down
- Piping Purge
- Static Pressure Test
- Pressure Relief Test
- Cross Connection Test
- Alarm Testing for Gas System

Refer to NFPA 99. The responsible facility authority will review all inspection and testing prior to the use of all systems covered by this requirement.

Note: At the time of this printing, NFPA 2005, 2012, and 2015 are in use in North America. It is important to consult with your local municipality to confirm which codes(s) they have currently adapted.



Axess™ Low Profile Nasal Masks

- Single-use
- 2 soothing scents
- Plus unscented
- Large, medium & small sizes
- 24 nasal masks per package
- Non-Latex* components
- Made in the USA

***Not made with natural rubber latex**



FREE SAMPLES!
 CALL US AT 800-531-2221
 OR GO TO
 WWW.ACCUTRON-INC.COM



PATIENT COMFORT AND CLINICAL EFFICIENCY – A PERFECT COMBINATION!

- Low profile – offers better visibility and easier access to patient’s mouth
- Single-Use – minimizes cross-contamination; saves staff time
- Translucent colors and clear unscented mask – shows patient properly breathing through their nose and mask fogs upon exhalation
- Two scents (Bubblegum and Mint) and unscented for scent-sensitive patients – engages patient in mask selection
- Contoured design around mask – provides a good seal minimizing ambient nitrous oxide and gas flow into patient’s eyes
- No tube protruding into patient nostril and no tape at nose – fits comfortably and snug
- Slender, lightweight scavenging circuit tubing – reduces drag and pull with patient movement diminishing mask displacement; allows an unobstructed view of the oral cavity (purchase Axess scavenging circuit separately)

Axess™ Low Profile Nasal Mask

Order No.	Product Description	Retail List
53037-9	Small Unscented Clear	\$140
53037-12	Small Birthday Bubblegum	\$140
53037-16	Small Fresh Mint	\$140
53035-9	Medium Unscented Clear	\$140
53035-12	Medium Birthday Bubblegum	\$140
53035-16	Medium Fresh Mint	\$140
53034-9	Large Unscented Clear	\$140
53034-12	Large Birthday Bubblegum	\$140
53034-16	Large Fresh Mint	\$140

AXESS™ Single-Use Nasal Masks (24 per pkg.)



THE CIRCUIT CAN BE **STEAM-STERILIZED**, WHICH MEANS IT'S ENVIRONMENTALLY FRIENDLY AND COST EFFECTIVE!

The slender and lightweight tubing of the Axess Scavenging Circuit goes hand-in-hand with the design of the Axess Low Profile Mask:

- More comfortable for patients
- Increases the clinician's field of view
- Allows clinician unobstructed access to the oral cavity
- Minimizes drag and pull, so nasal mask stays in place
- Not made from natural rubber latex

And...instead of the circuit's tubing wrapping behind the patient's head and the chair, the slender tubing wraps behind the patient's ears and is secured by a slider under the chin.



Scavenging Circuit for RFS™ Remote Flow System and Accu-Vac™



Scavenging Circuit for In-line Vacuum Controller

Axess™ Scavenging Circuits

Order No.	Product Description	Retail List
53005	Axess™ Scavenging Circuit for In-line Vacuum Controller Includes 6-foot long low profile scavenging circuit with In-line vacuum controller, complimentary low profile nasal mask assortment, adapters for connecting most non-Accutron vacuum controllers, instructions for use and reprocessing.	\$300
53006	Axess™ Scavenging Circuit for RFS™ Remote Flow System and Accu-Vac™ Includes 6-foot long low profile scavenging circuit (to be used with RFS and Accu-Vac™ Vacuum Controllers – not provided), complimentary low profile nasal mask assortment, adapters for connecting most non-Accutron vacuum controllers, instructions for use and reprocessing.	\$250

Axess™ Scavenging Circuit Replacement Parts

Order No.	Product Description	Retail List
25591	Spiral Vacuum Tubing – 3 1/2'	\$17
28530-FRU	Vacuum Gauge for Axess In-line Scavenging Circuit	\$167



ClearView™
SINGLE-USE NASAL MASKS



The only nasal mask that actually demonstrates that your patient is breathing through their nose!

ClearView™ Nasal Masks

- Single-use
- 6 soothing scents
- Plus unscented
- Adult & Pediatric sizes
- 12 nasal Masks per package
- Non-Latex* components
- Made in the USA

***Not made with natural rubber latex**

- Mask-in-mask design minimizes ambient nitrous oxide in operatory
- Clear outer mask shows “breathing through nose” respiration (condensation appears in mask)
- Soft inner mask creates improved facial seal
- Low profile expands clinical field of view
- Single-use minimizes cross-contamination; saves staff time
- Appealing colors & scents engage & relax patients
- Can be used with other brands of scavenging circuits



Now you can actually see your patient breathing through their nose.

Secure Female Luer-Lok Sample Line Connection



Connect to capnography monitor sample line and verify patient end-tidal CO₂

ClearView™ Single-Use Nasal Masks

Order No.	Product Description	Retail List
33034-9	Large Adult Unscented Grey	\$70
33034-10	Large Adult Outlaw Orange	\$70
33034-14	Large Adult French Vanilla	\$70
33034-16	Large Adult Fresh Mint	\$70
33035-9	Adult Unscented Grey	\$70
33035-10	Adult Outlaw Orange	\$70
33035-12	Adult Birthday Bubblegum	\$70
33035-14	Adult French Vanilla	\$70
33035-16	Adult Fresh Mint	\$70
33037-9	Pediatric Unscented Grey	\$70
33037-10	Pediatric Outlaw Orange	\$70
33037-11	Pediatric Sassy Strawberry	\$70
33037-12	Pediatric Birthday Bubblegum	\$70
33037-17	Pediatric Groovy Grape	\$70

ClearView™ Nasal Masks (12 per pkg.)

CO₂ Capnography Single-Use Nasal Masks

Order No.	Product Description	Retail List
43034-9	Large Adult Unscented Grey	\$100
43034-16	Large Adult Fresh Mint	\$100
43035-9	Adult Unscented Grey	\$100
43035-14	Adult French Vanilla	\$100
43037-9	Pediatric Unscented Grey	\$100
43037-12	Pediatric Birthday Bubblegum	\$100

ClearView™ CO₂ Capnography Nasal Masks (12 per pkg.)



Order No. 43003

Scavenging Circuit

- Low-profile assembly expands clinical field of operation
- Vacuum control assembly meets NIOSH and ADA proposed flow rate recommendations
- Non-Latex* components
- X-ray compatible system
- Steam sterilize circuit
- White finish complements clinical environment
- Accommodates most flowmeter brands

***Not made with natural rubber latex**



ClearView™ Scavenging Circuits - for Standard Bag Tee

Order No.	Product Description	Retail List
43003	ClearView™ Scavenging Circuit II (includes Scavenging Circuit with Vacuum Control Valve, Corrugated Tube, Reservoir Bag and complimentary ClearView™ Single-Use Nasal Masks)	\$790
43005	ClearView™ Scavenging Circuit I (includes Scavenging Circuit with Vacuum Control Valve and complimentary ClearView™ Single-Use Nasal Masks)	\$688

ClearView™ Scavenging Circuits - for RFS™ Remote Flow System & Accu-Vac™

Order No.	Product Description	Retail List
43004	ClearView™ Scavenging Circuit II (includes Scavenging Circuit Corrugated Tube, Reservoir Bag and complimentary ClearView™ Single-Use Nasal Masks)	\$746
43006	ClearView™ Scavenging Circuit I (includes Scavenging Circuit and complimentary ClearView™ Single-Use Nasal Masks)	\$649

See scavenging circuit parts diagram on page 42.

ClearView™ Adaptor Easy Order Guide

Accutron's ClearView™ Nasal Masks connect effortlessly to:

- ClearView™ Scavenging Circuits I (43005 & 43006)
- ClearView™ Scavenging Circuit II (43003 & 43004)
- Any existing PIP+® Scavenging Circuit
- Any Porter™ Brown Scavenging Circuit (no adaptor required)
- Matrix™ Scavenging System (has one smooth tube on each side & cone with two connections) requires adaptor part number 35360



Matrix®, and Porter™ are trademarks and registered trademarks of Midmark Corporation and Parker- Hannifin Corp.



PIP+® Nasal Masks

- Single-use
- 8 soothing scents
- Plus unscented
- 3 comfortable sizes
- Non-Latex* components
- Made in the USA

***Not made with natural rubber latex**



FREE SAMPLES!
 CALL US AT 800-531-2221
 OR GO TO
 WWW.ACCUTRON-INC.COM

PIP+® Single-Use Nasal Masks

Order No.	Product Description	Retail List
33015-3	Large Variety Pack 3 (Mint, Peach & Vanilla)	\$99
33015-9	Large Unscented Grey	\$99
33015-14	Large French Vanilla	\$99
33015-15	Large Perfect Peach	\$99
33015-16	Large Fresh Mint	\$99
33016-1	Medium Variety Pack 1 (Orange, Strawberry & Bubblegum)	\$99
33016-2	Medium Variety Pack 2 (Piña Colada, Vanilla & Orange)	\$99
33016-3	Medium Variety Pack 3 (Mint, Peach & Vanilla)	\$99
33016-9	Medium Unscented Grey	\$99
33016-10	Medium Outlaw Orange	\$99
33016-11	Medium Sassy Strawberry	\$99
33016-12	Medium Birthday Bubblegum	\$99
33016-13	Medium Piña Colada	\$99
33016-14	Medium French Vanilla	\$99
33016-15	Medium Perfect Peach	\$99
33016-16	Medium Fresh Mint	\$99
33017-1	Small Variety Pack 1 (Orange, Strawberry & Bubblegum)	\$99
33017-9	Small Unscented Grey	\$99
33017-10	Small Outlaw Orange	\$99
33017-11	Small Sassy Strawberry	\$99
33017-12	Small Birthday Bubblegum	\$99
33017-17	Small Groovy Grape	\$99

Personal Inhaler Plus+® Nasal Masks (24 per pkg.)



33018

Multi-Use Masks (steam sterilize)

Order No.	Product Description	Retail List
33018	Multi-Use Large Mask (1/ea.)	\$135
33019	Multi-Use Medium Mask (1/ea.)	\$126
33020	Multi-Use Small Mask (1/ea.)	\$114



Order No. 32007

Scavenging Circuit

- Vacuum control assembly meets NIOSH and ADA proposed flow rate recommendations
- Non-Latex* components
- X-ray compatible system
- Steam sterilize circuit
- White finish complements clinical environment
- Accommodates most flowmeter brands

***Not made with natural rubber latex**

PIP+® and Multi-Use Scavenging Circuits - for Standard Bag Tee

Order No.	Product Description	Retail List
32007	PIP+® Scavenging Circuit II (includes Scavenging Circuit with Vacuum Control Valve, Corrugated Tube, Reservoir Bag and Complimentary PIP+® Single-Use Nasal Masks)	\$790
33010	PIP+® Scavenging Circuit I (includes Scavenging Circuit with Vacuum Control Valve and complimentary PIP+® Single-Use Nasal Masks)	\$688
33011	Scavenger with Large Multi-Use Mask	\$713
33012	Scavenger with Medium Multi-Use Mask	\$713
33013	Scavenger with Small Multi-Use Mask	\$713

PIP+® Scavenging Circuits - for RFS™ Remote Flow Systems & Accu-Vac™

Order No.	Product Description	Retail List
32009	PIP+® Scavenging Circuit II (includes Scavenging Circuit, Corrugated Tube, Reservoir Bag and complimentary PIP+® Single-Use Nasal Masks)	\$746
33008	PIP+® Scavenging Circuit I (includes Scavenging Circuit and complimentary PIP+® Single-Use Nasal Masks)	\$649

See scavenging circuit parts diagram on page 42.

PIP+® Adaptor Easy Order Guide

Accutron's Personal Inhaler Plus+® Nasal Masks connect effortlessly to Accutron™ Scavenging Circuit I (33008 & 33010) and Scavenging Circuit II (32007 & 32009). They also connect easily to any brand of scavenging system. To order an adaptor, please look for these identifying features and note the Accutron™ order number.

- 35000 **Porter™ Brown Scavenging System**
Has 4 tubes – 2 ports on each side, mask within mask bearing the name "Brown."
- 35100 **Porter™ Clean Air Scavenging System**
Has tube inside tube and wings or vacuum sweeps to draw off excess gas.
- 35325 **Matrx™ Scavenging System**
Has spiral, white tubing.

- 35350 **Matrx™ Scavenging System**
Has one smooth, white tube on each side.
- 35400 **McKesson™ Scavenging System**
Has clear mask and 1 tube on each side.
- 35500 **Accutron™ ClearView™ Scavenging System**
Has 4 tubes - 2 ports on each side, colored & scented mask within clear outer mask.

Matrx®, McKesson® and Porter™ are trademarks and registered trademarks of Midmark Corporation, McKesson Corporation and Parker-Hannifin Corp.



22137 &
33014



33025 &
33026

Rubber Goods

Order No.	Product Description	Retail List
22137	6-foot Corrugated Tube	\$75
33014	3-foot Corrugated Tube	\$50
33025	Reservoir Bag – 3 Liter	\$45
33026	Reservoir Bag – 2 Liter	\$45



21178



21179



21245



21246



22099



22122



25590



25591



25592



25593



25594



26253



26254



26255



27132



27132

Scavenging Circuit Components

Order No.	Product Description	Retail List
21178	Double Connectors for PIP+® Nasal Mask (2/pkg.)	\$45
21179	Single Connectors for PIP+® Nasal Mask (2/pkg.)	\$45
21245	Large Y Connector	\$45
21246	Small Y Connector	\$45
22099	Scavenging Hub for PIP+® Nasal Masks (clear disk)	\$54
22122	Vacuum Gauge (for standard bag tee)	\$167
25590	Double Tubing for PIP+® Scavenging Circuit (order 2)	\$32
25591	Spiral Vacuum Tube – 3 1/2'	\$17
25592	Spiral Vacuum Tube – 1 1/2'	\$17
25593	5" Large Tube for PIP+® Scavenging Circuit (order 2)	\$17
25594	7 1/4" Small Tube for PIP+® Scavenging Circuit (order 2)	\$17
26252	PIP+® Scavenging Plug	\$22
26253	Tube Slide Double	\$32
26254	Single Vacuum Connector	\$17
26255	90° Elbow (creates 90° angle off flowmeter for attachment of scavenging circuit)	\$25
27132	6' Spiral Vacuum Tube (for RFS™ Scavenging Circuit)	\$32
27693-FRU	Double Tubing for ClearView™ Scavenging Circuit (order 2)	\$32

See pages 27 & 29 for scavenging circuit parts diagrams.

Vacuum Controllers



Order No.	Product Description	Retail List
36855	RFS™ Remote Flow System – Analog (for use with Ultra PC® % Cabinet Mount Flowmeters, and Digital Ultra® Flushmount Flowmeters with RFS™ Chairmount Kits)	\$993
56855	RFS™ Remote Flow System – Digital (for use with Digital Ultra® Flushmount without RFS™ Chairmount Kits)	\$993
56955	Accu-Vac™ (for use with Digital Ultra® Flushmount Flowmeter)	\$1,251

Universal Cabinet Slide Mounts



Order No.	Product Description	Retail List
32015	Accu-Vac™ Mount: (for Digital Ultra® Flushmount Flowmeter) Universal Cabinet Slide, Accu-Vac™ (slide mounts to left, right, or under cabinet)	\$517
25043	RFS™ Remote Flow System D Mounts: (for Digital Ultra® Flushmount Flowmeter) Universal Light Pole Mount Kit (not shown)	\$176
32018	Universal Cabinet Slide, Digital RFS™ (slide mounts to left, right, or under cabinet)	\$517
25043	RFS™ Remote Flow System A Mounts: (for Ultra PC® % Cabinet Mount Flowmeter) Universal Light Pole Mount Kit (not shown)	\$176
32014	Universal Cabinet Slide, Analog RFS™ (slide mounts to left, right, or under cabinet)	\$517
32008	Analog Bag Tee Mount: (for Ultra PC® % Cabinet Mount Flowmeter) Universal Cabinet Slide, Analog Bag Tee (slide mounts to left, right, or under cabinet)	\$517
32019	Digital Bag Tee Mount: (for Digital Ultra® Flushmount Flowmeter) Universal Cabinet Slide, Digital Bag Tee (slide mounts left, right, or under cabinet)	\$517

RFS™ Remote Flow System Chairmount Kits



Forest™ chair shown

Chairside Delivery Systems

RFS™ Remote Flow System Mounted at Patient Chair

- Eliminate long mixed gas and vacuum hoses draping from adjacent cabinets
- Create uncluttered, safer work zone for doctor and staff
- Minimize displacement of patient mask caused by drag/pull and weight of long hoses
- Store circuit and rubber goods when not in use




RFS™ Remote Flow System mounts to patient chairs without drilling new holes and can be installed in the field – retrofit where possible or new construction. Kits are available for a wide variety of dental chair brands.


RFS™ Remote Flow System – Not So Remote!

See page 39 for installation instructions and templates.

Illustrations below depict the combination of an RFS™ Chairmount Kit and a Flowmeter Package (RFS™ Chairmount Kits are to be purchased separately).



Digital Ultra® Flushmount Flowmeter
56800-CHAIR
56800-CHAIR-NS



Ultra PC® % Cabinet Mount Flowmeter
36800-CHAIR
36800-CHAIR-NS

RFS™ Remote Flow System Chairmount Kits for Chair Brands (continued)



A-dec® Chairs



Forest™ Chairs



Marus® Chairs



Midmark® Chairs



Pelton & Crane® Chairs

Order No.	Product Description	Retail List
31005-1	A-dec 1040 RFS™ Chairmount Kit	\$330
31005-2	A-dec Decade Plus RFS™ Chairmount	\$330
31005-3	A-dec 511 RFS™ Chairmount Kit	\$330
31005-4	A-dec 311 RFS™ Chairmount Kit	\$330
31005-5	A-dec 400 Series RFS™ Chairmount Kit	\$330
31005-6	A-dec Performer Chairmount Kit	\$330
31006-1	Belmont X-Calibur B-20N RFS™ Chairmount Kit	\$330
31006-2	Belmont X-Calibur V B-50 RFS™ Chairmount Kit	\$330
31006-3	Belmont Quolis™ RFS™ Chairmount Kit	\$330
31013-1	DCI Series 5 RFS™ Chairmount Kit	\$330
31009-1	DentalEZ Simplicity RFS™ Chairmount Kit	\$330
31009-2	DentalEZ NuSimplicity RFS™ Chairmount Kit	\$330
31009-3	DentalEZ J/V Generation RFS™ Chairmount Kit	\$330
31008-1	Engle 300 RFS™ Chairmount Kit	\$330
31001-1	Forest™ 3900 (no extras) RFS™ Chairmount Kit	\$330
31001-2	Forest™ 3900 (touch pad) RFS™ Chairmount Kit	\$330
31001-3	Forest™ 3900 (assist pkg.) RFS™ Chairmount Kit	\$330
31001-4	Forest™ 3900 (touch pad & assist pkg.) RFS™ Chairmount Kit	\$330
31004-1	Marus MaxStar (no extras) RFS™ Chairmount Kit	\$330
31004-3	Marus NuStar (no extras) RFS™ Chairmount Kit	\$330
31002-1	Midmark Ultra RFS™ Chairmount Kit	\$330
31002-2	Midmark Elevance® RFS™ Chairmount Kit	\$330
31002-3	Midmark 641 Surgery RFS™ Chairmount Kit	\$330
31010-1	OSSI Dino RFS™ Chairmount Kit	\$330
31012-1	Pediatric Bench (standard) RFS™ Chairmount Kit	\$330
31003-1	Pelton & Crane 1800 RFS™ Chairmount Kit	\$330
31001-2	Pelton & Crane 3000-3300 & SP30 RFS™ Chairmount Kit	\$330
31001-3	Pelton & Crane 1700 RFS™ Chairmount Kit	\$330

Note: Chairmount Kits do not include a Remote Flow System. See Diagrams & Templates beginning on page 38.

A-Dec®, Belmont and DentalEZ® are trademarks and registered trademarks of A-Dec Inc, Takara Belmont USA, Inc. and DentalEZ, Inc, respectively. All other product names are trademarks of their respective company's




Royal™ Chairs

RFS™ Remote Flow System Chairmount Kits for Chair Brands (continued)

Order No.	Product Description	Retail List
31007-1	Royal Alliant RFS™ Chairmount Kit	\$330
31007-2	Royal Signet R16 RFS™ Chairmount Kit	\$330
31007-3	Royal PD2/OR2/OR3/GP2 (w/o light) RFS™ Chairmount Kit	\$330
31007-4	Royal PD2/OR2/OR3/GP2 (with light) RFS™ Chairmount Kit	\$330

See Diagrams & Templates beginning on page 38.



Q/C Hoses & Vacuum Male Connectors


Order No.	Product Description	Retail List
33968	Compatible with Accutron™ White Slim-line Outlets & Porter™- type Outlets: Accutron™ E-Z Q/C Hose Set*	\$251
33972	Accutron™ Vacuum Male Connector	\$132
34068	Compatible with Accutron™ (silver outlets), Puritan Bennett®, McKesson® & Fraser™ Outlets: Accutron™ N ₂ O-O ₂ Q/C Hose Set*	\$251
34070	Accutron™ O ₂ Q/C Hose*	\$132
34071	Accutron™ N ₂ O Q/C Hose*	\$132
34081	Accutron™ Vacuum Male Connector	\$132
34168	Compatible with Qxyquip™ Outlets: Oxyquip™ N ₂ O-O ₂ Q/C Hose Set*	\$251
34072	Oxyquip™ O ₂ Q/C Hose*	\$132
34073	Oxyquip™ N ₂ O Q/C Hose*	\$132
34084	Oxyquip™ Vacuum Male Connector	\$132
34268	Compatible with Chemtron™, NCG & Coastal Outlets: Chemtron™ N ₂ O-O ₂ Q/C Hose Set*	\$251
34085	Chemtron™ O ₂ Q/C Hose*	\$132
34086	Chemtron™ N ₂ O Q/C Hose*	\$132
34088	Chemtron™ Vacuum Male Connector	\$132
34368	Compatible with Matrx®, Ohio & Centurion Outlets: Matrx® N ₂ O-O ₂ Q/C Hose Set*	\$251
34074	Matrx® O ₂ Q/C Hose*	\$132
34087	Matrx® N ₂ O Q/C Hose*	\$132
34080	Matrx® Vacuum Male Connector	\$132
34568	Compatible with Schrader® Outlets: Schrader® Inline N ₂ O-O ₂ Q/C Hose Set*	\$251
34668	Schrader® Flush N ₂ O-O ₂ Q/C Hose Set*	\$251

*Specify lengths up to 6 feet

Set illustrations show only one of the two hoses included.

Puritan Bennett® and Schrader® are registered trademarks of Schrader-Bridgeport International and Covidien LP, respectively. All other product names are trademarks of their respective company's


Recessed Outlet Stations



Order No.	Product Description	Retail List
34004	Recessed Q/C Triple Outlet (N ₂ O-O ₂ -Vac)*	\$647
34005	Recessed Q/C Dual Outlet (N ₂ O-O ₂)	\$415
34009	Recessed Q/C O ₂ Outlet	\$271
34011	Recessed Q/C Vacuum Outlet*	\$271
34010-I	Recessed Imperial Q/C N ₂ Outlet	\$585
34010-S	Recessed Schrader Q/C N ₂ Outlet	\$585

*Requires use of Vacuum Male Connector #33972 (page 34).


Surface Outlet Stations



Order No.	Product Description	Retail List
34003	Floor Q/C Dual Outlet (N ₂ O-O ₂)	\$571
34060	Surface Q/C Triple Outlet (N ₂ O-O ₂ -Vac)*	\$715
34076	Surface Q/C Dual Outlet (N ₂ O-O ₂)	\$459
34077	Surface Q/C O ₂ Outlet	\$322
34079	Surface Q/C Vacuum Outlet*	\$322
34078-I	Surface Imperial Q/C N ₂ Outlet	\$660
34078-S	Surface Schrader Q/C N ₂ Outlet	\$660

*Requires use of Vacuum Male Connector #33972 (page 34).

Micro Outlet Stations



Order No.	Product Description	Retail List
34012-3	Micro In-line Triple Outlet Kit – DISS* (includes Check Valve Risers, hoses and outlet station)	\$1,040
34012-3-NS	Micro In-line Triple Outlet – DISS* (for mounting within cabinetry)	\$780
34013-3	Micro In-line Dual Outlet Kit – DISS (includes Check Valve Risers, hoses and outlet station)	\$800
34013-3-NS	Micro In-line Dual Outlet Kit – DISS (for mounting within cabinetry)	\$522
28000	Micro Outlet Spacer (for Dual & Triple Micro Outlets)	\$22
27793	Oxygen Outlet – DISS with Female Q/C (for use with Digital Ultra RFS™ Chairmount Kits)	\$259


*Requires use of Vacuum Male Connector #33972 (page 34).



28191-FRU

Digi-Flo® Manifold Accessories & Adapters

Order No.	Product Description	Retail List
27985-FRU	Digi-Flo Optional Conduit Kit	\$276
28191-FRU	Oxygen Add-on Dual Regulator Kit	\$1,460
27954-FRU	Matrx Manifold Adapter Kit	\$150
28406-FRU	Porter Manifold Adapter Kit	\$150
28408-FRU	Belmed Manifold Adapter Kit	\$150
28401-FRU	Accutron (Old Style) Manifold Adapter Kit	\$150
49400	Zone Valve adapter Box – Converts Normally Open (NO) switches on Zone Valves to Digi-Flo	\$500
49400-NC	Zone Valve adapter Box – Converts Normally Closed (NC) switches on Zone Valves to Digi-Flo	\$500



23126



23123



23189



23148



34057



27319



34058



34061



34075





34062

Manifold Accessories & Components

Order No.	Product Description	Retail List
23123	Zone Valve Box Trim/Frame Assembly (for zone valve #39550)	\$219
23126	Gas Identification Labels (6 O ₂ and 6 N ₂ O)	\$32
23148	100 ft. Cat 5 Black Cable and Connector	\$93
23189	Zone Valve Box Door/Cover (for #39550)	\$110
27224	Cylinder Room Caution Sticker	\$5
27319	Purge Fitting Set	\$82
34057	Oxygen Regulator	\$433
34058	Nitrous Oxide Regulator	\$433
34061	Oxygen Hose (DISS 3 feet)	\$124
34062	Nitrous Oxide Hose (DISS 3 feet)	\$124
34075	Cylinder Restraints (accommodates 4 cylinders)	\$248

Oral Surgery Nitrogen & Oxygen Manifold Systems




Order No.	Product Description	Retail List
48000	Nitrogen Manifold System — 2 Cylinder Configuration Includes: Nitrogen manifold, 2 nitrogen regulators, 2 nitrogen DISS hose assemblies and restraints for two cylinders	\$2,998
49000	Oxygen Manifold System — 2 Cylinder Configuration Includes: Oxygen manifold, 2 oxygen regulators, 2 oxygen DISS hose assemblies and restraints for two cylinders	\$2,998

Oral Surgery N₂ & O₂ Manifold System Components




Order No.	Product Description	Retail List
34057	Oxygen Regulator	\$433
34061	Oxygen Hose (DISS 3 feet)	\$124
48025	Cylinder Restraints (accommodates 2 cylinders)	\$145
48075	Nitrogen Regulator	\$482
48078	Nitrogen Hose DISS (DISS 3 feet)	\$140

See quick-connect hoses and outlet stations on pages 34 & 35.




Template not to scale.



See installation illustration on page 39.

Digital Ultra® Flushmount Flowmeter 56800-CHAIR




Template not to scale.

1) In advance of construction:


- Provide for tubing chase from flowmeter location to chair J-Box.
- Install Vacuum, Oxygen, and Nitrous Oxide risers.

2) Installation:

- Ensure cut-outs for the flowmeter and oxygen outlet are located correctly.
- Mount Control Module Bracket, with long slot down. Feed cable through the slot. Connect cable to controller and press controller into bracket. Make sure cable is not pinched. To remove controller from the bracket, insert screwdriver into slot at bottom corner of controller and pry outward.
- Pull the Mixed Gas and Vacuum lines up to the Remote Flow System mounting location on the chair.
- Install Remote Flow System to chair.
(Requires purchase of brand-specific Chairmount Kit - see page 32-34).
- Complete connections of all hoses.



Template not to scale.




Ultra PC® % Cabinet Mount 36800-CHAIR

1) In advance of construction:


- Provide for tubing chase from flowmeter location to chair J-Box.
- Install Vacuum, Oxygen, and Nitrous Oxide risers.

2) Installation:

- Ensure cut-out for the flowmeter is located correctly.
- Mount Ultra PC® Flowmeter through cutout, install wing nuts, and connect hoses to risers.
- Pull the Mixed Gas and Vacuum lines up to the Remote Flow System mounting location on the chair.
- Install Remote Flow System to chair.
(Requires purchase of brand-specific Chairmount Kit - see page 32-34).
- Complete connections of all hoses.



Digital Ultra® Flushmount Flowmeter with RFS™ Mounted in Cabinet



In-cabinet illustrations are specific to 56800 Digital Ultra® Flushmount with RFS™ Remote Flow System Vacuum Controller.


Bracket is included with flowmeter.

Digital Ultra® Flushmount Flowmeter Template


Digital Ultra® Flushmount Flowmeter

Slimline design separates control module from gas supply module and offers:

- More accessible cabinet space
- Flexible installation choices
- Mounting in wall as an option



Options for vacuum system controllers include: Standard Bag Tee, Accu-Vac™ or RFS™ Remote Flow System.



4X "A" THRU ALL
A=5/64" (0,20 cm)
FOR #8 FLATHEAD WOOD SCREW
A=3/16" (0,48 cm)
FOR #8 FLAT HEAD MACHINE WOOD SCREW

Cut-out dimensions not to scale.

Ultra PC® % Cabinet Mount Flowmeter Diagram



Ultra PC® % Cabinet Mount Flowmeter





Diagram is specific to 36800 Ultra PC® % Cabinet Mount Flowmeter with RFS™ Vacuum Controller.

Ultra PC® % Cabinet Mount Flowmeter Template

Ultra PC® % Cabinet Mount Flowmeter

- Vertical dimension of cut is 4 1/2" MAX
- Horizontal dimension of cut is 6 1/4" MAX
- Minimum Depth is 3 1/2"


Options for vacuum system controllers include: Standard Bag Tee and RFS™ Remote Flow System.



Cut-out dimensions not to scale.

Micro In-Line Triple Outlet Template


Order Nos.
34012-3
34012-3-NS



Cut-out dimensions not to scale.

Micro In-Line Dual Outlet Template


Order Nos.
34013-3
34013-3-NS



Cut-out dimensions not to scale.


Recessed Outlet Station Template

Order Nos.
34004
34005
34009
34010-I
34010-S
34011



Cut-out dimensions not to scale.


ClearView™ Scavenging Circuit Components Diagram (standard bag tee)



Nasal Masks, Scavenging Circuit & Rubber Goods are Not made with natural rubber latex!

Note: For ClearView™ Scavenging Circuits for RFS™ and Accu-Vac™, parts 25591, 22122 and 25592 are replaced with a 6' Spiral Vacuum Tube (part 27132).

PIP+® Scavenging Circuit Components Diagram (standard bag tee)



Note: For PIP+® Scavenging Circuits for RFS™ and Accu-Vac™, parts 25591, 22122 and 25592 are replaced with a 6' Spiral Vacuum Tube (part 27132).

ACCUTRON™ 2-YEAR FLOWMETER LIMITED WARRANTY

IF AN ACCUTRON™ FLOWMETER NEEDS TO HAVE REPAIR WORK OR REPLACEMENT PARTS DURING THE 2-YEAR WARRANTY PERIOD DUE TO MANUFACTURING DEFECTS, ACCUTRON™ WILL PROVIDE THE PARTS AND LABOR AT NO CHARGE. THE FLOWMETER OWNER IS RESPONSIBLE ONLY FOR A \$35.00 SHIPPING AND HANDLING FEE, WHICH WILL BE ASSESSED EACH TIME A FLOWMETER IS RETURNED TO ACCUTRON™ FOR WARRANTY WORK.

WARRANTY TERMS

Limited Warranty and Disclaimer: Accutron™ ("Seller") warrants that its product will be free from manufacturing defects subject to the terms, conditions, and limitation set forth hereinafter, for a period of 2 years for flowmeters and 1 year for other equipment products. Seller's obligations under this limited warranty are contingent on Buyer's full payment of the product purchase price. Except as specifically set forth above, Seller and its affiliates make no warranties, expressed or implied, and specifically disclaim any warranties of merchantability or fitness for a particular purpose.

The liability of Seller and its affiliates for any claims, losses, damages, or expenses from any cause whatsoever (including acts or omissions of third parties) regardless of the form of the action, whether in tort, contract, or otherwise, shall not exceed the repair cost, replacement cost, or purchase price of the product that directly gives rise to the claim. Seller and its affiliates shall not be liable for any incidental, special, reliance, consequential, or indirect loss or damage rising out of this agreement or the products. As used in this paragraph, consequential damages include, but are not limited to, lost profits, lost revenues, property damage, personal injury damage to the Purchaser or third parties, loss of business or profits, and/or loss of business reputation. It is the sole responsibility of Purchaser to determine the suitability of the products for the Purchaser's intended use. Seller's obligation to repair, replace or refund, as set forth above shall be Buyer's exclusive remedy.

This warranty constitutes the entire warranty. This warranty and Seller's liability hereunder shall be construed according to the laws of the State of Arizona without regard to conflict of law principles.

To activate the Flowmeter Warranty, complete and mail the warranty registration card that accompanies Flowmeter.

Accutron™ warranties are subject to the following conditions: Accutron™ products and equipment are warranted to be free from defects in material and workmanship under normal use and service, including all component parts. This warranty shall not apply to defects resulting from accidents, alterations, or misuse. If modifications have affected the operation of the product to render it faulty, this warranty shall be void. This warranty shall be void if any part not of Accutron's manufacture or supply has been incorporated into the product.

THIS WARRANTY IS GIVEN IN PLACE OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.

No statement or claim about the product by any employee, agent, representative or dealer of Accutron™ shall constitute a warranty by Accutron™ or give rise to any liability or obligation of Accutron™.

Warranty and Returned Goods Policy

All warranty resolution issues and merchandise returns will be handled through the local authorized Accutron™ distributor. Contact distributor where unit was purchased. Custom hoses cannot be returned.

Repair Service Policy

All service issues will be handled through the local authorized Accutron™ distributor. Contact distributor where unit was purchased.

Assistance

For Assistance, contact your local dental distributor or call Accutron™ Customer Service at:

Toll-free: (800) 531-2221

Local: (623) 780-2020

Fax: (623) 780-0444

Hours of operation: 7:00 AM – 4:30 PM MST

Service ship-to address:

Accutron


1733 W. Parkside Lane

Phoenix, AZ 85027

Visit our website:

www.accutron-inc.com





YEARS OF INNOVATION



Productivity

Initiative

Innovation

Integrity

Ethics

Quality Statement

It is Accutron's policy to:

- Provide products and services that meet or exceed our customers' requirements.
- Meet all regulatory requirements.
- Comply with the requirements of our quality management system and maintain its effectiveness.

Accutron™ products are designed, manufactured and inspected under comprehensive Quality System certified to meet ISO-13485 and 93/42/EEC requirements



Proud Participant

DentaCheques

A Program of
Dental Lifeline
Network



All Accutron products are manufactured in the USA.

1733 Parkside Lane • Phoenix, AZ 85027
Toll-free: 800.531.2221 • Local Phone: 623.780.2020 • Fax: 623.780.0444

www.accutron-inc.com

Part No. 25969 - Rev. 18 -02/2017